

Panoramica

Informazioni sul prodotto

**FMEH-04P-13020000042**

DIN rail housings, Complete housing with metal foot catch,tall design,with TBUS options, with vents,Width:22.6mm,Color: light gray,material:PA66,Flammability rating :V0.

Vantaggi del prodotto

- ☒ Modular design
- ☒ Multiple connection technologies optional, signal, data,and power transmission can be realized
- ☒ bus connector is optional
- ☒ Various personalized solutions can be achieved according to customer needs

Certificazione del prodotto

Dati tecnici

Disegno del prodotto

Modello 3D

☐

Dimensions

width	22.6mm
length	99mm
Height	114mm
Depth from top edge of DIN rail	107mm

PCB data

Number of PCB holders	1
PCB thickness	1.5mm
Installation location	Vertical (horizontal DIN rail)
PCBType of installation	Latching

Item properties

IP class	IP20
Connection levels	3(Both sides)
with ventilation openings	Yes
Maximum connection	24 (pitch 5.0mm)

Material data

color	Light gray
Material	PA66
Flammability rating	V0

Environmental data

Ambient temperature (assembly)	-5℃ ~ +100℃
Ambient temperature (operation)	-40℃ ~ +125℃
Ambient temperature (storage / transport)	-40℃ ~ +55℃

Accessori

Accessories

PCB Plug	2EDGKF-5.0-04P-11-00A(H)
PCB Socket	2EDGLF-5.0-04P-11-00A(H)
The bus terminal	FBUS22.5-05P-11-00A(H)

Dati aziendali

numero d'ordine	13020000042
Unità di imballaggio	20
Quantità di ordine minimo	20
Peso dei prodotti (senza imballaggio)	49

